

FITTING

Brand
UNI[®]



			DESCRIPTION	
1	BSP / BSPT	60' Cone/seat	0 1	BSP Female 60' Cone
			5 1	BSP Female 60' Cone (90° Elbow)
			551	BSP Compact Female 60' Cone (90° Elbow)
			6 0	BSP Female 60' Cone (45° Elbow)
			1 2	BSP Male 60' Cone Seat
			1 4	BSPT Swivel Male 60' Cone Seat
			1 5	BSPT Male 60' Cone Seat
			5 0	BSPT Compact Male 60' Cone Seat (90° Elbow)
		Flat	0 2	BSP Female Flat Seat
			1 3	BSP Male Flat O-Ring Boss Type

2	JIS	JIS BSP 60' Cone / Seat	26(ST)	JIS BSP Female 60' Cone Seat
			26(E45)	JIS BSP Female 60' Cone Seat (45° Elbow)
			26(E90)	JIS BSP Female 60' Cone Seat (90° Elbow)
		JIS Metric 60' Cone / Seat (Komatsu)	870	JIS Metric Female 60' Cone Seat
			875	JIS Metric Female 60' Cone Seat (90° Elbow)
			876	JIS Metric Female 60' Cone Seat (45° Elbow)
			818	Metric Male 60' Cone



FITTING

Brand
UNI[®]

			DESCRIPTION	
3	ORFS	Flat	7 0 2	ORFS Female Flat Seat
			7 1 2	ORFS Male Flat O-Ring
			7 5 2	ORFS Female Flat Seat (90° Elbow)
			7 6 2	ORFS Female Flat Seat (45° Elbow)
4	JIC	74' Cone / Seat	0 5	JIC Female 74' Cone Seat
			5 5	JIC Female 74' Cone Seat (90° Elbow)
			5 5 5	JIC Compact Female 74' Cone Seat (90° Elbow)
			6 4	JIC Female 74' Cone Seat (45° Elbow)
			1 8	JIC Male 74' Cone
			1 9	JIC Male 74' Cone (Bulkhead)
	UNF-UN	Flat	20	UNF-UN Male Flat O-Ring Boss Type
5	NPT	60' Cone / Seat	1 6	NPT Male 60' Cone Seat
			0 1	NPT Female 60' Cone
6	SAE	90' Cone / Seat	03(ST)	SAE Female 90' Cone Seat - (Straight)
			03(E45)	SAE Female 90' Cone Seat - (45° Elbow)
			03(E90)	SAE Female 90' Cone Seat - (90° Elbow)
			0 9	SAE Male 90' Cone



				DESCRIPTION
7	Metric	Multiseal	8 0 1	Metric Female Multiseal (ST)
			8 5 1	Metric Female Multiseal (90° Elbow)
			8 6 1	Metric Female Multiseal (45° Elbow)
			8 1 1	Metric Male 60' Cone Seat
		Flat	8 0 2	Metric Female Flat Seat (ST)
			8 5 2	Metric Female Flat Seat (90° Elbow)
			8 6 2	Metric Female Flat Seat (45° Elbow)
			8 1 0	Metric Male Flat Seat O-Ring Boss Type
		24' Cone/Seat (Light Duty)	8 0 3	Metric Female 24' Cone L/D (ST)
			8 5 3	Metric Female 24' Cone L/D (90° Elbow)
			8 6 3	Metric Female 24' Cone L/D (45° Elbow)
			8 1 3	Metric Male 24' Cone Seat L/D
		24' Cone/Seat (Heavy Duty)	8 0 4	Metric Female 24' Cone H/D (ST)
			8 5 4	Metric Female 24' Cone H/D (90° Elbow)
			8 6 4	Metric Female 24' Cone H/D (45° Elbow)
			8 1 4	Metric Male 24' Cone Seat (H/D)
		French Type (Kobelco)	8 0 5	Metric Female French Type 24' Cone (ST)
			8 5 5	Metric Female French Type 24' Cone (90° Elbow)
			8 6 5	Metric Female French Type 24' Cone (45° Elbow)
			8 1 5	Metric Male French Type 24' Cone Seat



FITTING

Brand
UNI[®]

			DESCRIPTION
Metric	DKO-L	8 0 6	Metric Female 24' Cone O-Ring (L) (ST)
		8 5 6	Metric Female 24' Cone O-Ring (L) (90° Elbow)
		8 6 6	Metric Female 24' Cone O-Ring (L) (45° Elbow)
		8 1 3	Metric Male 24' Cone Seat (L)
	DKO-S	8 0 6	Metric Female 24' Cone O-Ring (S) (ST)
		8 5 6	Metric Female 24' Cone O-Ring (S) (90° Elbow)
		8 6 6	Metric Female 24' Cone O-Ring (S) (45° Elbow)
		8 1 4	Metric Male 24' Cone Seat (S)
	Water Pump Fitting	8 0 9	Metric Female (Plastic Nut)
	Lorry Fitting	8 8 0	Metric Male with O-Ring Groove
		8 1 8	Metric Male 90' Cone
		8 1 9	Metric Male 90' Cone Bulkhead

			DESCRIPTION
1	3000 PSI	2 3	Flange 3000 PSI (ST)
		5 9	Flange 3000 PSI (90° Elbow)
		6 8	Flange 3000 PSI (45° Elbow)
2	6000 PSI	6 2 3	Flange 6000 PSI (ST)
		6 5 9	Flange 6000 PSI (90° Elbow)
		6 6 8	Flange 6000 PSI (45° Elbow)
3	9000 PSI (Heavy Duty)	9 2 3	(HD) Flange 9000 PSI (ST)
		9 5 9	(HD) Flange 9000 PSI (90° Elbow)
		9 6 8	(HD) Flange 9000 PSI (45° Elbow)



FITTING

Adapter (AD)

			DESCRIPTION
1	BSP	A	BSPT Male 60' Cone seat
		B	BSP Male 60' Cone seat
		C	BSP Female 60' Cone
		X	BSP Fixed Female

2	JIS	E	JIS BSP Male 60' Cone
		K	Metric Male 60' Cone (JIS Metric)

3	ORFS	F	ORFS Male O-Ring
		R	ORFS Female Flat Seat

4	JIC	G	JIC Male 74' Cone
		J	JIC Female 74' Cone Seat
	UNF	N	UNF-UN Male Flat O-Ring Boss Type

5	NPT	L	NPT Male 60' Cone Seat
		P	NPT Fixed Female 60' Cone

6	SAE	S	SAE Male 90' Cone
---	------------	----------	-------------------

7	Metric	H	Metric Male Flat Seat O-Ring Boss Type
		M	Metric Male 90' Cone (SAE)
		W	Metric Male
		Z	French Metric Male 24' Cone Seat

